

| State and county | Location | Dates and name of newspaper where notice was published | Chief executive officer of community | Effective date of modification | Community No. |
|---|---------------------------|---|---|--------------------------------|---------------|
| Texas: Tarrant | City of Colleyville | January 4, 1995, January 11, 1995, <i>Fort Worth Star Telegram</i> . | The Honorable Cheryl Seigel, Mayor, City of Colleyville, P.O. Box 165, Colleyville, Texas 76034. | December 13, 1994. | 480590 |
| Texas: Dallas and Denton. | City of Coppell | February 17, 1995, February 24, 1995, <i>Citizen Advocate</i> . | The Honorable Tom Morton, Mayor, City of Coppell, 255 Parkway Boulevard, Coppell, Texas 75019. | January 25, 1995. | 480170 |
| Texas: Dallas, Denton, Collin, Rockwall, and Kaufman. | City of Dallas | January 13, 1995, January 20, 1995, <i>Dallas Commercial Record</i> . | The Honorable Steve Bartlett, Mayor, City of Dallas, City Hall, 1500 Madrilla Street, Room 5E North, Dallas, Texas 75201. | December 15, 1994. | 480171 |
| Texas: El Paso | City of El Paso | January 3, 1995, January 10, 1995, <i>El Paso Times</i> . | The Honorable William S. Tilney, Mayor, City of El Paso, Two Civic Center Plaza, El Paso, Texas 79901. | December 12, 1994. | 480214 |
| Texas: Tarrant | City of Grapevine | January 4, 1995, January 11, 1995, <i>Fort Worth Star Telegram</i> . | The Honorable William D. Tate, Mayor, City of Grapevine, 413 South Main Street, Grapevine, Texas 76051. | December 13, 1994. | 480598 |
| Texas: Collin | City of Plano | January 4, 1995, January 11, 1995, <i>Dallas Morning News</i> . | The Honorable James N. Muns, Mayor, City of Plano, P.O. Box 860358, Plano, Texas 75086-0358. | November 29, 1994. | 480140 |
| Utah: Salt Lake | City of Murray | February 23, 1995, March 2, 1995, <i>Murray Eagle</i> . | The Honorable Lynn Pett, Mayor, City of Murray, 5025 South State Street, Murray, Utah 84107. | January 26, 1995. | 490103 |

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: March 13, 1995.

Richard T. Moore,

Associate Director for Mitigation.

[FR Doc. 95-6765 Filed 3-17-95; 8:45 am]

BILLING CODE 6718-03-M

44 CFR Part 67

[Docket No. FEMA-7132]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA).

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed base (100-year) flood elevations and proposed base (100-year) flood elevation modifications for the communities listed below. The base (100-year) flood elevations and modified base (100-year) flood elevations are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a

newspaper of local circulation in each community.

ADDRESSES: The proposed base flood elevations for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Michael K. Buckley, P.E., Chief, Hazard Identification Branch, Mitigation Directorate, 500 C Street SW., Washington, DC 20472, (202) 646-2756.

SUPPLEMENTARY INFORMATION: The Federal Emergency Management Agency proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified base flood elevations, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to

meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act.

This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. The Associate Director, Mitigation Directorate, certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform. This proposed rule meets the

applicable standards of Section 29(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 et seq.; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 276.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

| State | City/town/county | Source of flooding | Location | #Depth in feet above ground. * Elevation in feet. (NGVD) | |
|----------------|----------------------------|--------------------|---|--|----------|
| | | | | Existing | Modified |
| Colorado | Denver (City) Denver City. | Sand Creek | Just downstream of Interstate Highway 70. | *5,236 | *5,236 |
| | | | Approximately 0.5 mile upstream of Interstate Highway 70. | *5,246 | *5,252 |
| | | | Approximately 500 feet upstream of Smith Road. | *5,261 | *5,264 |
| | | | Approximately 500 feet downstream of Havana Street. | *5,282 | *5,284 |
| | | | Approximately 4,000 feet upstream of Havana Street. | *5,298 | *5,298 |

Maps are available for inspection at the City of Denver, Department of Public Works, Wastewater Management Division, 2000 West Third Avenue, Denver, Colorado.

Send comments to The Honorable Wellington Webb, Mayor, City of Denver, 1437 Bannock Street, Room 350, Denver, Colorado 80202.

| | | | | | |
|-----------------|-----------------------------|------------------------|---|-----|-----|
| Louisiana | Colfax (Town) Grant Parish. | Sugarhouse Bayou | At downstream corporate limits, approximately 2,200 feet downstream of State Highway 8. | *95 | *92 |
| | | | At north corporate limits, approximately 2,200 feet upstream of Fraenzie Road. | *95 | *93 |

Maps are available for inspection at Town Hall, Town of Colfax, 1208 Main Street, Colfax, Louisiana.

Send comments to The Honorable Constance Youngblood, Mayor, Town of Colfax, 1208 Main Street, Colfax, Louisiana 71417.

| | | | | | |
|--|--------------------------------------|------------------------|--|------|------|
| | Grant Parish (Unincorporated Areas). | Bayou Rigolette | At confluence with Walden Bayou | None | *87 |
| | | | Approximately 3,800 feet upstream of Parish Road 118. | None | *88 |
| | | | Approximately 900 feet upstream of State Highway 492. | None | *89 |
| | | | Approximately 1,800 feet upstream of U.S. Highway 71. | None | *90 |
| | | | Just upstream of State Highway 3169 | None | *92 |
| | | Sugarhouse Bayou | Approximately 4,600 feet upstream of confluence with Bayou Rigolette. | None | *92 |
| | | | At confluence of Valentine Bayou | None | *93 |
| | | Bayou Grappe | Approximately 3,500 feet downstream of Richardson Road. | None | *93 |
| | | | Just upstream of Richardson Road | None | *94 |
| | | | Just upstream of U.S. Highway 71 | None | *96 |
| | | | At confluence of Corfeine Bayou | None | *97 |
| | | Corfeine Bayou | Just downstream of U.S. Highway 71 | None | *97 |
| | | Flagon Bayou | At Grant Parish-Rapides Parish line, approximately 9,300 feet downstream of Flagon Creek Road. | None | *151 |
| | | | Just downstream of Flagon Creek Road .. | None | *159 |
| | | | Just upstream of Airpark Road | None | *175 |
| | | | Just upstream of Airpark Road at State Highway 8. | None | *201 |
| | | Clear Creek | Approximately 17,600 feet upstream of confluence with Little River. | None | *61 |
| | | | Approximately 1,000 feet downstream of Walker Ferry Road. | None | *85 |
| | | | Just downstream of Clear Creek Road | None | *108 |
| | | | Just downstream of U.S. Highway 165 | None | *160 |

| State | City/town/county | Source of flooding | Location | #Depth in feet above ground. * Elevation in feet. (NGVD) | |
|-------|------------------|--------------------|----------|--|----------|
| | | | | Existing | Modified |

Maps are available for inspection at Grant Parish Tax Office, Court House Building, 200 Main Street, Colfax, Louisiana.

Send comments to The Honorable Donnie Brown, President, Grant Parish Policy Jury, Court House Building, 200 Main Street, Colfax, Louisiana 71417.

| | | | | | |
|--|-----------------------|---------------------|---|------|-----|
| | New Roads (Town) | Portage Canal | Approximately 2,100 feet downstream of Hospital Road. | None | *26 |
| | Pointe Coupee Parish. | | At Missouri Pacific Railroad Bridge | None | *27 |
| | | | At State Highways 1 and 10 | None | *27 |

Maps are available for inspection at City Hall, 211 West Main Street, New Roads, Louisiana.

Send comments to The Honorable Sylvester Muckelroy, Mayor, Town of New Roads, 211 West Main Street, New Roads, Louisiana 70760.

| | | | | | |
|--|--|---------------------|--|------|-----|
| | Pointe Coupee Parish. (Unincorporated Areas). | Portage Canal | Approximately 6,500 feet downstream of Louisiana Highway 10. | None | *27 |
| | | | Just downstream of Louisiana Highway 10. | None | *27 |

Maps are available for inspection at 160 East Maine Street, New Roads, Louisiana.

Send comments to The Honorable Clement Guildroz, Pointe Coupee Parish President, 160 East Main Street, New Roads, Louisiana 70760.

| | | | | | |
|----------------|---------------------------------|--------------------|--|------|------|
| Missouri | Branson (City) Taney County. | Roark Creek | At confluence with White River (Lake Taneycomo). | *714 | *714 |
| | | | Approximately 700 feet upstream of U.S. Highway 65. | *717 | *720 |
| | | | Approximately 8,200 feet upstream of U.S. Highway 65. | *748 | *749 |
| | | | Approximately 3,800 feet downstream of Shepherd of the Hills Expressway. | None | *772 |
| | | Cooper Creek | Approximately 3,400 feet upstream of Shepherd of the Hills Expressway. | None | *801 |
| | | | Approximately 2,000 feet downstream of Fall Creek Road. | None | *727 |
| | | | Approximately 200 feet upstream of Fall Creek Road. | None | *764 |
| | | | Approximately 2,700 feet upstream of Fall Creek Road. | None | *804 |

Maps are available for inspection at City Hall, City of Branson, 110 West Maddux, Branson, Missouri.

Send comments to The Honorable Wade Meadows, Mayor, City of Branson, P.O. Box 1309, Branson, Missouri 65616.

| | | | | | |
|--------------|--------------------------|--------------------------|--|--------|--------|
| Nevada | Elko (City) Elko County. | Humboldt River | Approximately 1,350 feet upstream of truss bridge at corporate limits. | *5,049 | *5,048 |
| | | | At confluence with 22 East Drainage (levee failed). | *5,053 | *5,054 |
| | | | At confluence with 22 East Drainage (levee not failed). | *5,053 | *5,055 |
| | | | Approximately 4,300 feet upstream of confluence with Metzler Wash at corporate limits. | *5,067 | *5,064 |
| | | Metzler Wash | Approximately 350 feet downstream of Clarkson Drive. | N/A | *5,067 |
| | | | Just upstream of Lamoille Highway | N/A | *5,096 |
| | | | Approximately 2,000 feet upstream of Lamoille Highway. | N/A | *5,136 |
| | | Panorama Wash | At Lamoille Highway | N/A | *5,078 |
| | | | Approximately 1,300 feet upstream of Lamoille Highway. | N/A | *5,106 |
| | | Culley's Gulley | Approximately 550 feet downstream of Wildwood Way. | N/A | *5,106 |
| | | | Just upstream of Pinion Road | N/A | *5,152 |
| | | | Approximately 450 feet upstream of Lamoille Highway. | N/A | *5,190 |
| | | Eightmile Creek | Approximately 550 feet downstream of Fairgrounds Road. | N/A | *5,096 |
| | | | Just upstream of Mitty Avenue | N/A | *5,158 |
| | | | Approximately 5,000 feet upstream of Mitty Avenue. | N/A | *5,210 |
| | | 22 Middle Drainage | Approximately 150 feet upstream of Bullion Road. | N/A | *5,071 |

| State | City/town/county | Source of flooding | Location | #Depth in feet above ground. * Elevation in feet. (NGVD) | |
|-------|------------------|-----------------------------|---|--|----------|
| | | | | Existing | Modified |
| | | | Approximately 2,300 feet upstream of Bullion Road. | N/A | *5,119 |
| | | 22 East Drainage | Approximately 150 feet downstream of Bullion Road. | N/A | *5,058 |
| | | | Approximately 2,800 feet upstream of Bullion Road. | N/A | *5,128 |
| | | Fifth Street Drainage | Just upstream of Chris Avenue | N/A | *5,206 |
| | | | Just upstream of Cooper Street | N/A | *5,254 |
| | | | Approximately 3,900 feet upstream of Rolling Hills Drive. | N/A | *5,305 |
| | | Golf Course Drainage | At confluence with Humboldt River | N/A | *5,064 |
| | | | Just upstream of Idaho Street | N/A | *5,080 |
| | | | Approximately 4,650 feet upstream of Interstate Highway 80. | N/A | *5,192 |
| | | East Adobe Creek | Approximately 200 feet upstream of Idaho Street. | N/A | *5,042 |
| | | | Approximately 2,250 feet downstream of Interstate Highway 80. | N/A | *5,080 |
| | | | Approximately 400 feet upstream of Connolly Drive. | N/A | *5,175 |

Maps are available for inspection at the City of Elko, Department of Engineering Services, 1751 College Avenue, Elko, Nevada.
Send comments to The Honorable Jim Polkinghorne, Mayor, City of Elko, 1751 College Avenue, Elko, Nevada 89801.

| | | | | | |
|--|-------------------------------------|------------------------------|---|--------|---------|
| | Elko County (Unincorporated Areas). | Humboldt River at Elko | Approximately 4,800 feet downstream of truss bridge—north side or railroad. | None | *5,035 |
| | | | Approximately 4,800 feet downstream of truss bridge—south side of railroad. | #2 | *5,040 |
| | | | Approximately 1,350 feet upstream of truss bridge. | *5,049 | **5,048 |
| | | | At confluence with Culley's Gulley | *5,067 | *5,064 |
| | | | Approximately 4,550 feet upstream of confluence with Culley's Gulley. | *5,071 | *5,070 |
| | | Culley's Gulley | Approximately 300 feet upstream of confluence with Humboldt River. | None | *5,068 |
| | | | Approximately 100 feet upstream of Last Chance Road. | None | *5,106 |
| | | 22 Middle Drainage | Approximately 1,600 feet upstream of Bullion Road. | None | *5,106 |
| | | | Approximately 1,900 feet upstream of Bullion Road. | None | *5,110 |
| | | East Adobe Creek | Approximately 250 feet downstream of Interstate Highway 40. | None | *5,042 |
| | | | Approximately 200 feet upstream of Interstate Highway 40. | None | *5,042 |

Maps are available for inspection at the County Manager's Office, Elko County, 569 Court Street, Elko, Nevada.
Send comments to The Honorable Llee Chapman, Chairman, Elko County Board of Supervisors, 569 Court Street, Elko, Nevada 89801.

| | | | | | |
|--------------------|----------------------------------|--------------------|---|------|--------|
| North Dakota | Velva (Township) McHenry County. | Souris River | Approximately 2,700 feet downstream of Main Street. | None | *1,507 |
| | | | Approximately 1,700 feet downstream of Main Street. | None | *1,508 |
| | | | Approximately 200 feet downstream of Main Street. | None | *1,508 |
| | | | Approximately 2,700 feet upstream of Main Street. | None | *1,509 |
| | | | Approximately 4,500 feet upstream of Main Street. | None | *1,510 |

Maps are available for inspection at McHenry County Auditor's Office, 407 South Main Street, Towner, North Dakota.
Send comments to The Honorable John Thomas, Chairman, Township of Velva, RR #2, Box 4, Velva, North Dakota 58790.

| | | | | | |
|-------------|----------------------------------|--------------------|--|------|--------|
| Texas | Comanche (City) Comanche County. | Indian Creek | At eastern corporate limits of the City of Comanche. | None | *1,333 |
| | | | At confluence with Tributary 1 | None | *1,342 |
| | | | At confluence with Horse Creek | None | *1,348 |
| | | | 50 feet downstream of State Highway 16 | None | *1,360 |

| State | City/town/county | Source of flooding | Location | #Depth in feet above ground. * Elevation in feet. (NGVD) | |
|-------|------------------|-----------------------------|--|--|----------|
| | | | | Existing | Modified |
| | | | 200 feet downstream of confluence with Tributary 2. | None | *1,370 |
| | | | 200 feet downstream of confluence with South Fork of Indian Creek. | None | *1,375 |
| | | | 100 feet downstream of Indian Creek Drive. | None | *1,390 |
| | | South Fork of Indian Creek. | At corporate limits | None | *1,393 |
| | | | At confluence with Indian Creek | None | *1,376 |
| | | Horse Creek | 50 feet upstream of Indian Creek Drive ... | None | *1,391 |
| | | | At western corporate limits | None | *1,416 |
| | | | At confluence with Indian Creek | None | *1,348 |
| | | | At upstream face of Summit Avenue | None | *1,360 |
| | | Tributary 1 | At southern corporate limits | None | *1,374 |
| | | | At confluence with Indian Creek | None | *1,342 |
| | | | 50 feet upstream of Central Avenue (U.S. Highway 67)—. | None | *1,361 |
| | | Tributary 2 | 100 feet upstream of Walcott Avenue | None | *1,374 |
| | | | At downstream face of Austin Street | None | *1,394 |
| | | | At confluence with Indian Creek | None | *1,371 |
| | | | 50 feet upstream of Central Avenue (U.S. Highway 67). | None | *1,381 |
| | | Tributary 3 | 100 feet upstream of State Highway 36 ... | None | *1,395 |
| | | | 1,000 feet upstream of FM 1689 | None | *1,420 |
| | | | At confluence with Indian Creek | None | *1,372 |
| | | Tributary 4 | 100 feet upstream of Indian Creek Drive . | None | *1,390 |
| | | | At southern corporate limits | None | *1,428 |
| | | | At confluence with Tributary 3 | None | *1,420 |
| | | Tributary 5 | At limit of study | None | *1,435 |
| | | | At downstream face of State Highway 16 | None | *1,351 |
| | | | 100 feet upstream of airport runway | None | *1,373 |
| | | | At limit of study | None | *1,401 |

Maps are available for inspection at City Hall, City of Comanche, 114 West Central, Comanche, Texas.

Send comments to The Honorable Johnny Livingston, Mayor, City of Comanche, 114 West Central, Comanche, Texas 76442.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: March 13, 1995.

Richard T. Moore,

Associate Director for Mitigation.

[FR Doc. 95-6764 Filed 3-17-95; 8:45 am]

BILLING CODE 6718-03-M

DEPARTMENT OF TRANSPORTATION

Research and Special Programs Administration

49 CFR Parts 192 and 195

[Docket No. PS-101A]

RIN 2137-AC 57

Mandatory Participation in Qualified One-Call Systems by Pipeline Operators

AGENCY: Research and Special Programs Administration (RSPA), DOT.

ACTION: Notice of proposed rulemaking.

SUMMARY: This notice proposes to require that operators of onshore gas, hazardous liquid, and carbon dioxide

pipelines participate in qualified one-call systems as part of the required excavation damage prevention programs. The proposed rule would also limit the current exclusion of certain small gas systems from compliance with the damage prevention program requirements.

This notice is accompanied by a final rule (Docket No. PS-101), which addresses other requirements for excavation damage prevention programs and line markers. This notice and the final rule are intended to reduce excavation damage, the largest single cause of pipeline failures.

DATES: Interested persons are invited to submit written comments in duplicate by May 19, 1995. Late filed comments will be considered to the extent practicable. Interested persons should submit as part of their written comments all of the material that is considered relevant to any statement of fact or argument made.

ADDRESSES: Written comments must be submitted in duplicate and mailed or hand delivered to the Dockets Unit, Room 8421, U.S. Department of

Transportation, RSPA, 400 Seventh Street, SW., Washington, DC 20590-0001. Please identify the docket and notice numbers stated in the heading of this notice. All comments and materials cited in this document will be available for inspection and copying in Room 8421 between 8:30 a.m. and 4:30 p.m. each business day. Non-federal employee visitors are admitted to the DOT headquarters building through the southwest quadrant at Seventh and E Streets.

FOR FURTHER INFORMATION CONTACT:

Albert Garnett, (202) 366-2036, or Christina Sames, (202) 366-4561, regarding the content of this notice; or the Dockets Unit, (202) 366-5046, for copies of this document or other material in the docket.

SUPPLEMENTARY INFORMATION:

Related Document

RSPA has issued a final rule titled "Excavation Damage Prevention Programs for Gas and Hazardous Liquid and Carbon Dioxide Pipelines" (Docket No. PS-101). The final rule addresses